



US00D487015S

(12) **United States Design Patent**
Kalbach

(10) **Patent No.:** **US D487,015 S**

(45) **Date of Patent:** **** Feb. 24, 2004**

(54) **PORTION OF A MULTI-FUNCTIONAL CONNECTOR**

(75) **Inventor:** **Edward Van Lee Kalbach**, Nibley, UT (US)

(73) **Assignee:** **EK Ekcessories, Inc.**, Nibley, UT (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/175,207**

(22) **Filed:** **Jan. 31, 2003**

(51) **LOC (7) Cl.** **08-08**

(52) **U.S. Cl.** **D8/382; D16/339**

(58) **Field of Search** **D8/382, 107; 403/403, 403/205, 170, 172, 231, 292; D16/339**

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,819,738 A	8/1931	Daniel
2,481,946 A	9/1949	Pendleton
2,539,922 A	1/1951	Nyberg
2,660,092 A	11/1953	Bloom
2,704,961 A	3/1955	Weil
3,397,026 A	8/1968	Spina
3,450,467 A	6/1969	Phillips
3,502,396 A	3/1970	Greenburg
3,874,776 A	4/1975	Seron
3,879,804 A	4/1975	Lawrence
4,133,604 A	1/1979	Fuller
4,541,696 A	9/1985	Winger et al.
4,657,364 A	4/1987	Murrell
D290,964 S	7/1987	Kalbach
D291,894 S	9/1987	Weisenfeld et al.
4,696,556 A	9/1987	Perry, III
D309,619 S	7/1990	Kalbach
4,976,531 A	12/1990	Kahaney
4,978,210 A	12/1990	Lundbeck
5,002,381 A	3/1991	Murrell
5,015,085 A	5/1991	May
D320,367 S	10/1991	Kalbach
5,092,668 A	3/1992	Welch et al.
D328,908 S	8/1992	Kalbach

5,151,778 A	9/1992	Conley
5,157,425 A	10/1992	Liu
5,369,452 A	11/1994	Williams
D354,759 S	1/1995	Wolf
D354,760 S	1/1995	Wolf
5,575,042 A	11/1996	Kalbach
D382,503 S	8/1997	Kalbach
5,654,787 A	8/1997	Barison
5,860,191 A	1/1999	Sieger
D416,038 S	11/1999	Kalbach

(List continued on next page.)

OTHER PUBLICATIONS

Frames Catalog Harley-Davidson Eyewear, p. 25, Jun. 1996.

Primary Examiner—Holly Baynham
(74) *Attorney, Agent, or Firm*—TraskBritt


(57) **CLAIM**

The ornamental design for a portion of a multi-functional connector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a portion of a multi-functional connector according to my new design;
 FIG. 2 is a front view of the portion of the multi-functional connector of FIG. 1, the rear view being a mirror image thereof;
 FIG. 3 is a right side view of the portion of the multi-functional connector of FIG. 1, the left side view being a mirror image thereof;
 FIG. 4 is a top view of the portion of the multi-functional connector of FIG. 1; and,
 FIG. 5 is a bottom view of the portion of the multi-functional connector of FIG. 1.
 The broken line representation of the remaining portion of the multi-functional connector in FIGS. 1-5 represents environmental structure and is for illustrative purposes only. The broken line representation forms no part of the claimed design.

1 Claim, 1 Drawing Sheet



US D487,015 S

Page 2

U.S. PATENT DOCUMENTS

6,000,795 A	12/1999	Van Rysselberghe	D452,777 S	*	1/2002	Newman et al.	D4/138
D418,774 S	1/2000	Kalbach	6,429,373 B1	*	8/2002	Scrimshire et al.	174/74 R
D420,887 S	*	2/2000	Chen				
6,092,897 A	7/2000	Smerdon, Jr.	D462,523 S		9/2002	Kalbach	
D432,401 S	10/2000	Kalbach	D467,416 S		12/2002	Kalbach	
6,182,334 B1	2/2001	Davancens	D472,798 S		4/2003	Kalbach	

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5